



CLASSIC SHINE Wax Polish for Traditional Furniture

Version Number: 0

Preparation date: 2010-10-11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	CLASSIC SHINE Wax Polish for Traditional Furniture
MSDS #:	MS0600130
Product Code:	U22954
Recommended use:	Furniture care. This product is intended to be used neat .
Manufacturer, importer, supplier:	Unisource Worldwide, Inc. 6600 Governors Lake Parkway Norcross, GA 30071 Phone: 1-800-864-7687 MSDS Internet Address: www.unisourceworldwide.com
Emergency telephone number:	1-888-660-6737

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

CAUTION

CONTENTS UNDER PRESSURE
MAY BE MILDLY IRRITATING TO EYES
MAY BE MILDLY IRRITATING TO SKIN

Principal routes of exposure:	Skin contact Inhalation Eye contact
Eye contact:	May be mildly irritating to eyes
Skin contact:	May be mildly irritating to skin
Inhalation:	None known
Ingestion:	None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %
Butane	106-97-8	7 - 13%
Propane	74-98-6	1 - 5 %
White mineral oil	8042-47-5	5 - 10%
Sorbitan monooleate	1338-43-8	5 - 10%
Aliphatic hydrocarbons	64742-47-8	10 - 30%

Ingredient(s)	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Butane	Not available	Not available	=658 mg/L (4 h)
Propane	Not available	Not available	=658 mg/L (4 h)
White mineral oil	5000	Not available	Not available
Sorbitan monooleate	5000	Not available	Not available
Aliphatic hydrocarbons	5000	>2000 mg/kg	>5.2 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact:	Flush immediately with plenty of water If irritation develops, get medical attention
Skin contact:	Flush immediately with plenty of water If irritation develops, get medical attention
Inhalation:	No specific first aid measures are required
Ingestion:	No specific first aid measures are required

Aggravated Medical Conditions:	None known
---------------------------------------	------------

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Dry chemical, water spray, foam, carbon dioxide
Specific hazards:	Aerosol product - Containers may rocket or explode in heat of fire NFPA 30B Level 1 Aerosol
Unusual hazards:	None known
Specific methods:	Aerosol Product - Containers may rocket or explode in heat of fire Use water spray to keep fire-exposed containers cool
Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear	
Extinguishing media which must not be used for safety reasons: None	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use personal protective equipment
Environmental precautions and clean-up methods:	Soak up with inert absorbent material Sweep up and shovel into suitable containers for disposal

7. HANDLING AND STORAGE

Handling:	CONTENTS UNDER PRESSURE. Do not puncture or incinerate Keep away from open flames, hot surfaces and sources of ignition Avoid contact with skin and eyes
FOR COMMERCIAL AND INDUSTRIAL USE ONLY.	
Storage:	Protect from freezing Keep tightly closed in a dry, cool and well-ventilated place Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use KEEP OUT OF REACH OF CHILDREN

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure: No special ventilation requirements General room ventilation is adequate	
Personal Protective Equipment	
Eye protection:	No special requirements under normal use conditions
Hand protection:	No special requirements under normal use conditions
Skin and body protection:	No special requirements under normal use conditions
Respiratory protection:	No special requirements under normal use conditions
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice

Personal protective equipment **None / Aucune / Ninguno**

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Butane	106-97-8	1000 ppm (TWA)		800 ppm (TWA) 1900 mg/m ³ (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	
Aliphatic hydrocarbons	64742-47-8		1200 mg/m ³	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol	Appearance:	Aerosol
Flame Extension (inches):	12	Bulk density:	No information available
Specific gravity:	0.86	Elemental Phosphorus:	0 % by wt.
Vapor density:	No information available	Evaporation Rate	No information available

Solubility:	Partially Soluble	VOC:	15 % *
Viscosity:	No information available	Density:	7.17 lbs/gal Kg/L
pH:	7	Dilution pH: No information available.	
Partition coefficient (n-octanol/water):			
		No information available	
Solubility in other solvents:			
		No information available	
Color:			
		White	
Odor:			
		Lemon	
Boiling point/range:			
		Not determined	
Melting point/range:			
		Not determined	
Flash point:			
		-156 °F -104.4 °C	
Decomposition temperature:			
		Not determined	
Autoignition temperature:			
		No information available	

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:	Stable
Polymerization:	Hazardous polymerization does not occur
Hazardous decomposition products:	None reasonably foreseeable.
Materials to avoid:	None known
Conditions to avoid:	Do not freeze Keep away from open flames, hot surfaces and sources of ignition

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
Component Information:	See Section 3
Chronic toxicity:	None known
Specific effects	
Carcinogenic effects:	None known
Mutagenic effects:	None known
Reproductive toxicity:	None known
Target organ effects:	None known

12. ECOLOGICAL INFORMATION

Environmental Information:	No data available
-----------------------------------	-------------------

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:	Undiluted product is regulated under environmental and transportation laws as an ignitable waste Dispose of according to all federal, state and local applicable regulations Use up contents if possible before disposal If possible, recycle empty aerosol cans to the nearest steel recycling center
RCRA Hazard Class:	D001

14. TRANSPORT INFORMATION

DOT/TDG:	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
DOT Bill of Lading Description:	CONSUMER COMMODITY, ORM-D

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA)

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

SARA 311/312 Hazard Categories

Immediate:	X
Delayed:	-
Fire:	X
Reactivity:	-
Sudden Release of Pressure:	X

Canada

WHMIS hazard class:

Not for sale in Canada

Right To Know (RTK)

Ingredient(s)	CAS #	NJRTK:	MARTK:	PARTK:	RIRTK:
Butane	106-97-8	X	X	X	X
Sorbitan monooleate	1338-43-8	-	-	-	-
Aliphatic hydrocarbons	64742-47-8	-	-	-	-
Liquified petroleum gas	68476-86-8	-	-	-	-
Propane	74-98-6	X	X	X	X
Water	7732-18-5	-	-	-	-
White mineral oil	8042-47-5	X	X	-	-

CERCLA/ SARA

16. OTHER INFORMATION

HMIS	Health	1	Fire Hazard	4	Reactivity	0
NFPA	Health	1	Flammability	4	Instability	0

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.