MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communicati			Form 174		
IDENTITY AND DISTRIBUTOR'S INFORMATION					
	HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B				
	DOT Hazard Classification: ORM-D				
	Identity (trade name as used on label):				
Deerfield, IL 60015	RENOWN C				ER
	MSDS Number: A00179 Revision - 17				
	Date Prepared: 12/06/01 Prepared By: CH/TR			H/TR	
	Information Calls: (770)42				
SECTION 1 - MATERIAL IDENT COMPONENTS-CHEMICAL NAMES AND COMMON NAMES	CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		III LIST	(ppm)	TLV (ppm)	Ref. Source **
ETHYL ALCOHOL	64-17-5	No	1000	1000	d
TOLUENE 10		Yes	200	100	d
ACETONE	67-64-1	No	1000	750	d
ISOPROPYL ALCOHOL	67-63-0	No	400	400	d
2-BUTOXYETHANOL *	111-76-2	Yes	25	20	d
ISOBUTANE / PROPANE BLEND	75-28-5	No	(skin) 800	(skin) 800	d
	75-28-5	No	1000	1000	d
METHANOL	67-56-1	Yes	200	200	d
*GLYCOL ETHER	07-00-1	105	200	200	u
WARNING: This product contains a chemical or chemicals kno	own to the State of				
California to cause birth defects or other reproductiv					
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS					
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 0.81					
Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60	Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A				
Vapor Density (Air = 1): N/E	Evaporation Rate (= 1): N/E				
Solubility in Water: Soluble Water Reactive: No					
Appearance and Odor: Clear gel, aromatic solvent odor.					
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA					
AMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume: prosols) EXTREMELY FLAMMABLE N/E % LEL: N/E % UEL: N/E					
aerosols) EXTREMELY FLAMMABLE N/E % LEL: N/E % UEL: N/E FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water fog.					
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.					
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures a	above 130°F or the contain	er may rup	ture.		
SECTION 4 - REACTIVITY HAZARD DATA					
	HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR				
Incompatibility (Mat. to avoid): Acids and strong oxidizers.	Conditions to Avoid: Open flame, welding arcs, heat, sparks.				
Hazardous Decomposition Products: CO, CO2.					
SECTION 5 - HEALTH HAZARD DATA					
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS					
ACUTE EFFECTS:					
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness. Eye Contact: Irritation Skin Contact: Irritation					
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.					
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause cardiac abnormality, liver abnormalities, kidney and/or liver damage. Lab animals have experienced anemia, liver, kidney, lung, blood damage to Glycol Ether EB.					
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.					
EMERGENCY FIRST AID PROCEDURES					
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.					
Skin Contact: Wash with soap and water. If irritated, seek medical attention.					
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.					
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention. SECTION 6 - CONTROL AND PROTECTIVE MEASURES					
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by U.S. Bureau of Mines for organic vapor.					
Protective Gloves: Rubber gloves. Eye Protection: Safety glasses recommended.					
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.					
Other Protective Clothing & Equipment: None					
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations.					
Prevent from entering drains and sewer. Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.					
Precautions To Be Taken In Handling & Storage: Do not puncture or incineral				130°F	
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.Remove ignition					
sources.					

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.
** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only